IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A glass-ceramic plate comprising at least one opening located within a bent portion of said plate, said opening being at a location other than a heating area and having an angular or polygon shape,

wherein an outer peripheral edge around said opening is bent upwards, and wherein said opening is a suction hood opening configured for use with a suction hood for allowing for the extraction of cooking gases.

- 2. (Canceled)
- 3. (Previously Presented) The plate as claimed in claim 1, wherein said opening is at least 35 mm from an edge of the plate.
- 4. (Previously Presented) The plate as claimed in claim 1, wherein said opening occupies a position in a central area of said plate.
- 5. (Currently Amended) A glass-ceramic plate comprising at least one opening located within a bent portion of said plate, this said opening being at a location other than a heating area and/or and having at least one dimension greater than 10 cm and/or and having an angular or polygon and/or complex shape, wherein said opening has a polygonal shape.
- 6. (Previously Presented) The plate as claimed in claim 1, wherein said suction hood is located beneath said plate.
- 7. (Previously Presented) The plate as claimed in claim 1, wherein said opening is covered with a protective element configured to prevent objects from dropping therethrough while still allowing cooking gases to be sucked therethrough.

Application Serial No.: 10/812,945

Reply to Office Action dated April 12, 2006

- 8. (Canceled)
- 9. (Canceled)
- 10. (Previously Presented) A cooking and/or high-temperature-maintaining device comprising a glass-ceramic plate as claimed in claim 1.
 - 11. (Canceled)
- 12. (Previously Presented) The plate as claimed in claim 7, wherein said protective element is a mesh.
- 13. (Previously Presented) The plate as claimed in claim 1, wherein said plate is of a one-piece construction.
 - 14. (Canceled)
- 15. (Previously Presented) The plate as claimed in claim 1, wherein said opening is at least 35 mm from each heating area of said plate.
- 16. (Previously Presented) The plate as claimed in claim 1, wherein said opening has at least one dimension greater than 10 cm.
- 17. (Previously Presented) The plate as claimed in claim 1, wherein said opening has an angular shape.
- 18. (Previously Presented) The plate as claimed in claim 1, wherein said opening has a complex shape.
 - 19. (New) A cooktop comprising:

a glass-ceramic plate comprising at least one opening located within a bent portion of said plate, said opening being at a location other than a heating area; and

a protective element configured to cover said opening,

Application Serial No.: 10/812,945

Reply to Office Action dated April 12, 2006

wherein an outer peripheral edge around said opening is bent upwards,

wherein said opening is a suction hood opening configured for use with a suction hood for allowing for the extraction of cooking gases, and

wherein a seal is provided between said protective element and said glass-ceramic plate such that said protective element does not directly contact said glass-ceramic plate.

20. (New) The cooktop as claimed in claim 19, wherein said seal is a fibrous annular seal that is impermeable to liquids.